

# FURTHER READING

## Chapter 1

Dick, WF, Eberle, B, Wisser, G, et al. 2000. The carotid pulse check revisited: what if there is no pulse? *Crit Care Med.* **28**: N183–185.

Link, MS, Berkow, LC, Kudenchuk, PJ, et al. 2015. Part 7: adult advanced cardiovascular life support: 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation.* **132**: S444–S464.

Deakin, CD and Low, JL. 2000. Accuracy of the advanced trauma life support guidelines for predicting systolic blood pressure using carotid, femoral, and radial pulses: observational study. *BMJ.* **321**: 673–674.

Lande, S. 1988. EMT ventilation skills. *Ann Emerg Med.* **17**: 107–108.

Laan, DV, Vu, TD, Thiels, CA, et al. 2016. Chest wall thickness and decompression failure: A systematic review and meta-analysis comparing anatomic locations in needle thoracostomy. *Injury.* **47**: 797–804.

## Chapter 2

Hwang, SO, Zhao, PG, Choi, HJ, et al. 2009. Compression of the left ventricular outflow tract during cardiopulmonary resuscitation. *Acad Emerg Med.* **16**: 928–933.

McDonald, CH, Heggie, J, Jones, CM, et al. 2013. Rescuer fatigue under the 2010 ERC guidelines, and its effect on cardiopulmonary resuscitation (CPR) performance. *Emerg Med J.* **30**: 623–627.

Idris, AH, Guffey, D, Pepe, PE, et al. 2015. Chest compression rates and survival following out-of-hospital cardiac arrest. *Crit Care Med.* **43**: 840–848.

Stiell, IG, Brown, SP, Nichol, G, et al. 2014. What is the optimal chest compression depth during out-of-hospital cardiac arrest resuscitation of adult patients? *Resuscitation.* **130**: 1962–1970.

Berg, RA, Sanders, AB, Kern, KB, et al. 2001. Adverse hemodynamic effects of interrupting chest compressions for rescue breathing during cardiopulmonary resuscitation for ventricular fibrillation cardiac arrest. *Circulation.* **104**: 2465–2470.

Cheskes S, Schmicker, RH, Christenson, J, et al. 2011. Perishock pause: an independent predictor of survival from out-of-hospital shockable cardiac arrest. *Circulation.* **124**: 58–66.

Lloyd, MS, Heeke B, Walter PF, et al. 2008. Hands-on defibrillation: an analysis of electrical current flow through rescuers in direct contact with patients during biphasic external defibrillation. *Circulation.* **117**: 2510–2514.

Neumann, T, Gruenewald, M, Lauenstein, C, et al. 2012. Hands-on defibrillation has the potential to improve the quality of cardiopulmonary resuscitation and is safe for rescuers—a preclinical study. *J Am Heart Assoc.* **1**: e001313

Rubertsson, S, Lindgren, E, Smekal, D, et al. 2014. Mechanical chest compressions and simultaneous defibrillation vs conventional cardiopulmonary resuscitation in out-of-hospital cardiac arrest: the LINC randomized trial. *JAMA*. **311**: 53–61.

Napp, LC, Kühn, C, and Bauersachs, J. 2017. ECMO in cardiac arrest and cardiogenic shock. *Herz*. **42**: 27–44.

Xie, A, Phan, K, Tsai, YC, et al. 2015. Venoarterial extracorporeal membrane oxygenation for cardiogenic shock and cardiac arrest: a meta-analysis. *J Cardiothorac Vasc Anesth*. **29**: 637–645.

Stub, D, Bernard, S, Pellegrino, V, et al. 2015. Refractory cardiac arrest treated with mechanical CPR, hypothermia, ECMO and early reperfusion (the CHEER trial). *Resuscitation*. **86**: 88–94.

### Chapter 3

Luecke, T and Pelosi, P. 2005. Clinical review: positive end-expiratory pressure and cardiac output. *Crit Care*. **9**: 607–621.

Sigurdsson, G, Yannopoulos, D, McKnite, S, et al. 2003. Cardiorespiratory interactions and blood flow generation during cardiac arrest and other states of low blood flow. *Curr Opin Crit Care*. **9**: 183–188.

Natt, BS, Malo, J, Hypes, CD, et al. 2016. Strategies to improve first attempt success at intubation in critically ill patients. *Br J Anaesth*. **117**: i60–i68.

Eckstein, M, Hatch, L, Malleck, J, et al. 2011. End-tidal CO<sub>2</sub> as a predictor of survival in out-of-hospital cardiac arrest. *Prehosp Disaster Med*. **26**: 148–150.

Olasveengen, TM, de Caen, AR, Mancini, ME, et al. 2017. International consensus on cardiopulmonary resuscitation and emergency cardiovascular care science with treatment recommendations summary. *Resuscitation*. **121**: 201–214.

### Chapter 4

Kudenchuk, PJ, Brown, SP, Daya, M, et al. 2016. Amiodarone, lidocaine, or placebo in out-of-hospital cardiac arrest. *N Engl J Med*. **374**: 1711–1722.

Dorian, P, Cass, D, Schwartz, B, et al. 2002. Amiodarone as compared with lidocaine for shock-resistant ventricular fibrillation. *N Engl J Med*. **346**: 884–890.

Kudenchuk, PJ, Cobb, LA, Copass, MK, et al. 1999. Amiodarone for resuscitation after out-of-hospital cardiac arrest due to ventricular fibrillation. *N Engl J Med*. **341**: 871–878.

Cheskes, S, Schmicker, RH, Verbeek, PR, et al. 2014. The impact of peri-shock pause on survival from out-of-hospital shockable cardiac arrest during the Resuscitation Outcomes Consortium PRIMED trial. *Resuscitation*. **85**: 336–342.

Sell, RE, Sarno, R, Lawrence, B, et al. 2010. Minimizing pre- and post-defibrillation pauses increases the likelihood of return of spontaneous circulation (ROSC). *Resuscitation*. **81**: 822–825.

Lloyd, MS, Heeke, B, Walter, PF, et al. 2008. Hands-on defibrillation: an analysis of electrical current flow through rescuers in direct contact with patients during biphasic external defibrillation. *Circulation*. **117**: 2510–2514.

Neumann, T, Gruenewald, M, Lauenstein, C, et al. 2012. Hands-on defibrillation has the potential to improve the quality of cardiopulmonary resuscitation and is safe for rescuers—a preclinical study. *J Am Heart Assoc*. **1**: e001313.

Jacobs, IG, Finn, JC, Jelinek, GA, et al. 2011. Effect of adrenaline on survival in out-of-hospital cardiac arrest: a randomised double-blind placebo-controlled trial. *Resuscitation*. **82**: 1138–1143.

Stiell, IG, Wells, GA, Field, B, et al; Ontario Prehospital Advanced Life Support Study Group. 2004. Advanced cardiac life support in out-of-hospital cardiac arrest. *N Engl J Med*. **351**: 647–656.

Olasveengen, TM, Sunde, K, Brunborg, C, et al. 2009. Intravenous drug administration during out-of-hospital cardiac arrest: a randomized trial. *JAMA*. **302**: 2222–2229.

Hagihara, A, Hasegawa, M, Abe, T, et al. 2012. Prehospital epinephrine use and survival among patients with out-of-hospital cardiac arrest. *JAMA*. **307**: 1161–1168.

Gueugniaud, PY, David, JS, Chanzy, E, et al. 2008. Vasopressin and epinephrine vs. epinephrine alone in cardiopulmonary resuscitation. *N Engl J Med*. **359**: 21–30.

Wenzel, V, Krismer, AC, Arntz, HR, et al. 2004. A comparison of vasopressin and epinephrine for out-of-hospital cardiopulmonary resuscitation. *N Engl J Med*. **350**: 105–113.

Driver, BE, Debaty, G, Plummer, DW, et al. 2014. Use of esmolol after failure of standard cardiopulmonary resuscitation to treat patients with refractory ventricular fibrillation. *Resuscitation*. **85**: 1337–1341.

## Chapter 5

Kamel, KS and Schreiber, M. 2012. Asking the question again: are cation exchange resins effective for the treatment of hyperkalemia? *Nephrol Dial Transplant*. **27**: 4294–4297.

Piper, GL and Kaplan, LJ. 2012. Fluid and electrolyte management for the surgical patient. *Surg Clin North Am*. **92**: 189–205.

Musselman, ME and Saely, S. 2013. Diagnosis and treatment of drug-induced hyperthermia. *Am J Health Syst Pharm*. **70**: 34–42.

Laskowski, LK, Landry, A, Vassallo, SU, et al. 2015. Ice water submersion for rapid cooling in severe drug-induced hyperthermia. *Clin Toxicol (Phila)*. **53**: 181–184.

Brown, DJA, Brugger, H, Boyd, J, et al. 2012. Accidental hypothermia. *N Engl J Med*. **367**: 1930–1938.

Lefrant, JY, Muller, L, de La Coussaye, JE, et al. 2003. Temperature measurement in intensive care patients: comparison of urinary bladder, oesophageal, rectal, axillary, and inguinal methods versus pulmonary artery core method. *Intensive Care Med*. **29**: 414–418.

Bailey, B. 2003. Glucagon in beta-blocker and calcium channel blocker overdoses: a systematic review. *J Toxicol Clin Toxicol*. **41**: 595–602.

Nickson, CP and Little M. 2009. Early use of high-dose insulin euglycaemic therapy for verapamil toxicity. *Med J Aust*. **191**: 350–352.

Inaba, K, Ives, C, McClure, K, et al. 2012. Radiologic evaluation of alternative sites for needle decompression of tension pneumothorax. *Arch Surg*. **147**: 813–818.

Ball, CG. 2014. Damage control resuscitation: history, theory and technique. *Can J Surg*. **57**: 55–60.

Robertson, J, Long, B, and Koyfman, A. The emergency management of ventricular assist devices. *Am J Emerg Med*. **34**: 1294–1301.

## Chapter 6

Ford, K, Menchine, M, Burner, E, et al. 2016. Leadership and teamwork in trauma and resuscitation. *West J Emerg Med*. **17**: 549–556.

Rudolph, et al. There's no such thing as "nonjudgmental" debriefing: a theory and method for debriefing with good judgment. *Simul Healthc*. **1**: 49–55.

Brindley, et al. 2011. Improving verbal communication in critical care medicine. *Journal of Crit Care*. **26**: 155–159.

## Chapter 7

Neumar, RW, Nolan, JP, Adrie, C, et al. 2008. Post-cardiac arrest syndrome: epidemiology, pathophysiology, treatment, and prognostication. A consensus statement from the International Liaison Committee on Resuscitation. *Circulation*. **118**: 2452–2483.

Stub, D, Bernard, S, Duffy, SJ, et al. 2011. Post cardiac arrest syndrome: a review of therapeutic strategies. *Circulation*. **123**: 1428–1435.

Callaway, CW, Donnino, MW, Fink, EL, et al. 2015. Part 8: post-cardiac arrest care: 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation*. **132**: S465–S482.

Camuglia, AC, Randhawa, VK, Lavi, S, et al. 2014. Cardiac catheterization is associated with superior outcomes for survivors of out-of-hospital cardiac arrest: review and meta-analysis. *Resuscitation*. **85**: 1533–1540.

Kern, KB. 2012. Optimal treatment of patients surviving out-of- hospital cardiac arrest. *JACC Cardiovasc Interv*. **5**: 597–605.

Dumas, F, Bougouin, W, Geri, G, et al. 2016. Emergency percutaneous coronary intervention in post-cardiac arrest patients without ST-segment elevation pattern. *JACC Cardiovas Interv*. **9**: 1011–1018.

Yannopoulos, D, Bartos, JA, Martin, C, et al. 2016. Minnesota resuscitation consortium's advanced perfusion and reperfusion cardiac life support strategy for out-of-hospital refractory ventricular fibrillation. *J Am Heart Assoc*. **5**: e003732.

Sandroni, C, Cariou, A, Cavallaro, F, et al. 2014. Prognostication in comatose survivors of cardiac arrest: an advisory statement from the European Resuscitation Council and the European Society of Intensive Care Medicine. *Intensive Care Med*. **40**: 1816–1831.

Maynard, DW. 2017. Delivering bad news in emergency care medicine. *Acute Med Surg*. **4**: 3–11.

Baile, WF, Buckman, R, Lenzi, R, et al. 2000. SPIKES-A six-step protocol for delivering bad news: application to the patient with cancer. *Oncologist*. **5**: 302–311.